

Revision Date 31-May-2016

Revision Number 5

1. IDENTIFICATION

Product Identifier

Product Name GOLD

Other means of identification

Product Code(s) 10163

Product Type Polyurethane

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Coating.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

The Eastwood Company
263 Shoemaker Road
Pottstown, PA 19464

Company Phone Number 800-343-9353

Emergency Telephone Number CHEMTREC (800) 424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity

Category 1A

Label elements

Emergency Overview

Signal Word Danger

Hazard Statements

May cause cancer



Appearance Powder

Physical State Solid, powder

Odor None

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes
 Remove contact lenses, if present and easy to do. Continue rinsing
 IF ON SKIN: Gently wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store in a dry place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard
 Product dust may be irritating to eyes, skin and respiratory system

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Components	CAS No.	Weight-%	Trade Secret
Limestone	1317-65-3	5.0-15	*
Barium sulfate	7727-43-7	5.0-15	*
Copper	7440-50-8	5.0-15	*
Zinc	7440-66-6	1-5%	*
.epsilon.-Caprolactam	105-60-2	1-5%	*
Quartz	14808-60-7	<1.0%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation Remove to fresh air.

Ingestion None under normal use conditions. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use, Foam, Dry chemical or CO2

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protection equipment. Avoid dust formation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up Prevent environmental discharge consistent with regulatory requirements. Use non-sparking tools. Pick up and transfer to properly labeled containers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Use personal protection equipment. Avoid contact with eyes, skin and clothing. Do not breathe dust. Avoid dust formation. Do not ingest.

Conditions for safe storage, including any incompatibilities

Storage Keep only in the original container at a temperature not exceeding .? °C. Keep container tightly closed. Store in accordance with local regulations. Store in a dry place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Limestone 1317-65-3	-	TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 15 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Barium sulfate 7727-43-7	TWA: 5 mg/m ³	TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 10 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Copper 7440-50-8	TWA: 1 mg/m ³	TWA: 0.1 mg/m ³ TWA: 1 mg/m ³ (vacated) TWA: 0.1 mg/m ³	IDLH: 100 mg/m ³ TWA: 1 mg/m ³	-
.epsilon.-Caprolactam 105-60-2	TWA: 5 mg/m ³	(vacated) TWA: 1 mg/m ³ (vacated) TWA: 5 ppm (vacated) TWA: 20 mg/m ³ (vacated) STEL: 3 mg/m ³ (vacated) STEL: 10 ppm (vacated) STEL: 40 mg/m ³	TWA: 1 mg/m ³ TWA: 0.22 ppm STEL: 3 mg/m ³ STEL: 0.66 ppm	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³	(vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³	-

Appropriate engineering controls

Engineering Measures Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Eye protection.

Skin and Body Protection Wear protective gloves/protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid, powder	Odor	Odorless
Appearance	Powder	Odor Threshold	No data available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Specific test data for the substance or mixture is not available	
Melting point / freezing point	No information available	
Boiling Point / Boiling Range	Specific test data for the substance or mixture is not available	
Flash Point	Specific test data for the substance or mixture is not available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper Explosive Limits	70 g/m ³	
Lower Explosive Limits	30 g/m ³	
Vapor pressure	Negligible	
Vapor Density	Specific test data for the substance or mixture is not available	
Specific Gravity	1.2-1.8	
Water Solubility	Immiscible in water	
Solubility in other solvents	Specific test data for the substance or mixture is not available	
Partition coefficient	No information available	
Autoignition Temperature		
Decomposition Temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	Specific test data for the substance or mixture is not available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

Other Information

Softening Point Specific test data for the substance or mixture is not available

Solids 100%

10. STABILITY AND REACTIVITY

Reactivity
 No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or cracking. May cause irritation.
Ingestion	Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
epsilon.-Caprolactam 105-60-2	= 1210 mg/kg (Rat)	= 1438 mg/kg (Rabbit)	= 8.16 mg/L (Rat) 4 h
Quartz 14808-60-7	= 500 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons.
Mutagenic Effects Specific test data for the substance or mixture is not available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Components	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X

Reproductive Toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 31,637.00
ATEmix (inhalation-dust/mist) 145.20

12. ECOLOGICAL INFORMATION

Ecotoxicity

15.1548802 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Components	Algae/aquatic plants	Toxicity to Fish	Daphnia Magna (Water Flea)
Copper - 7440-50-8	0.0426 - 0.0535: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.031 - 0.054: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	0.0068 - 0.0156: 96 h Pimephales promelas mg/L LC50 0.3: 96 h Pimephales promelas mg/L LC50 static 0.2: 96 h Pimephales promelas mg/L LC50 flow-through 0.052: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.25: 96 h Lepomis macrochirus mg/L LC50	0.03: 48 h Daphnia magna mg/L EC50 Static

		static 0.3: 96 h Cyprinus carpio mg/L LC50 semi-static 0.8: 96 h Cyprinus carpio mg/L LC50 static 0.112: 96 h Poecilia reticulata mg/L LC50 flow-through	
Zinc - 7440-66-6	0.11 - 0.271: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.09 - 0.125: 72 h Pseudokirchneriella subcapitata mg/L EC50 static	0.211 - 0.269: 96 h Pimephales promelas mg/L LC50 semi-static 2.16 - 3.05: 96 h Pimephales promelas mg/L LC50 flow-through 2.66: 96 h Pimephales promelas mg/L LC50 static 30: 96 h Cyprinus carpio mg/L LC50 0.45: 96 h Cyprinus carpio mg/L LC50 semi-static 7.8: 96 h Cyprinus carpio mg/L LC50 static 3.5: 96 h Lepomis macrochirus mg/L LC50 static 0.24: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.41: 96 h Oncorhynchus mykiss mg/L LC50 static 0.59: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	0.139 - 0.908: 48 h Daphnia magna mg/L EC50 Static
.epsilon.-Caprolactam - 105-60-2	130: 72 h Desmodesmus subspicatus mg/L EC50 160: 96 h Desmodesmus subspicatus mg/L EC50 4320 - 4800: 72 h Pseudokirchneriella subcapitata mg/L EC50	930: 96 h Lepomis macrochirus mg/L LC50 static 1400: 96 h Pimephales promelas mg/L LC50 static	500: 48 h Daphnia magna Straus mg/L EC50 828 - 2920: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Components	log Pow
.epsilon.-Caprolactam 105-60-2	-0.02

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated.

IATA Not regulated.

IMDG/IMO Not regulated.

15. REGULATORY INFORMATION

TSCA 8(b) All components are listed or exempt

DSL All components are listed or exempt

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Components	Weight-%	SARA 313 - Threshold Values %
Barium sulfate - 7727-43-7	14.4726	1.0
Copper - 7440-50-8	7.70008	1.0
Zinc - 7440-66-6	1.70002	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

CWA (Clean Water Act)

See information supplied by the manufacturer

CERCLA

See information supplied by the manufacturer

US State Regulations

California Proposition 65

This product contains (a) Proposition 65 chemical(s)

Components	California Proposition 65
Quartz - 14808-60-7	Carcinogen

U.S. EPA Label Information

EPA Pesticide Registration Number No data available

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS / WHMIS</u>	Health Hazard 2	Flammability 1	Physical hazards 0	Personal Precautions X

Revision Date 31-May-2016

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet