

MATERIAL SAFETY DATA SHEETS**IDENTITY: 13129 - Greaseless Compound 80 Grit****SECTION I****Manufactured For:**

The Easthill Group
 dba/ The Eastwood Company
 263 Shoemaker Road
 Pottstown, PA 19464

USA & Canada: 800-345-1178

Telephone No.: Outside USA: 610-323-2200**Emergency Telephone**

Chem-Trec: 800-424-9300

Date: March 1, 2000**SECTION II – HAZARDOUS INGREDIENTS****Hazardous Components:**

DESCRIPTION	CAS #	OSHA PEL	ACGIH TLV	%
--------------------	--------------	---------------------	----------------------	----------

ALL STAIN FINISHING COMPOUNDS WITH THE PREFIX 211 CONTAIN ONE OR MORE OF THE FOLLOWING:

Aluminum Oxide	1344-28-1	15mg/m3	10mg/m3	Less than 70%
Silica Abrasive	1317-65-3	.1mg/m3	.1mg/m3	Less than 30%
Metal Oxides	1309-37-1	5mg/m3	5mg/m3	Less than 10%

SECTION III – PHYSICAL DATA**Boiling Point:** N/A**Specific Gravity:** .8 to 2.2**Vapor Pressure:** N/A**Melting Point:** 130 F.**Vapor Density:** N/A**Evaporation Rate:** N/A**Solubility in Water:** Insoluble**Appearance & Odor:** Packed in Plastic Bags -- Red, Green, Brown, Blue, Orange.**SECTION IV – FIRE & EXPLOSION HAZARD DATA****Flash Point (method used):** 350 F. (CoC)**Flammable Limits:** No Data**LEL:** N/A**UEL:** N/A**Extinguishing Method:** Co2 Dry Chemical**Special Fire Fighting Procedures:** Use Air Pack**Unusual Fire & Explosion Hazards:** Treat as Grease Fire**SECTION V – REACTIVITY DATA****STABILITY:** Unstable _____**Conditions to avoid:**N/A Stable X **Incompatibility (Materials to avoid):** N/A

Hazardous Decomposition of Byproducts: N/A

Hazardous Polymerization: May occur _____
N/A Will not occur **X**

Conditions to avoid:

SECTION VI – HEALTH HAZARD DATA

Route(s) of entry: INHALATION **YES** SKIN **NO** INGESTION **NO**

Health Hazards (Acute & Chronic): (Acute) Coughing & Sneezing- Buffing operations may cause lint & abrasives to become airborne. We recommend respirator & ventilation.

Carcinogenicity: Non-Carcinogenic
IARC Monographs? NO

NTP? N/A
OSHA Regu.