MATERIAL SAFETY DATA SHEETS

IDENTITY: 13131 - Greaseless Compound 220 Grit

SECTION I USA & Canada: 800-345-1178 Manufactured For: Telephone No.: Outside USA: 610-323-2200

The Easthill Group Emergency Telephone

dba/ The Eastwood Company Chem-Trec: 800-424-9300

263 Shoemaker Road Pottstown, PA 19464 Date: March 1, 2000

SECTION II – HAZARDOUS INGRIDIENTS

Hazardous Components:

DESCRIPTION CAS # OSHA ACGIH %
PEL TLV

ALL STAIN FINISHING COMPOUNDS WITH THE PREFIX 211 CONTAIN ONE OR MORE OF THE FOLLOWING:

 Aluminum Oxide
 1344-28-1
 15mg/m3
 10mg/m3 Less than 70%

 Silica Abrasive
 1317-65-3
 .1mg/m3
 .1mg/m3 Less than 30%

 Metal Oxides
 1309-37-1
 5mg/m3
 5mg/m3 Less than 10%

SECTION III – PHYSICAL DATA

Boiling Point:N/ASpecific Gravity:.8 to 2.2Vapor Pressure:N/AMelting Point:130 F.Vapor Density:N/AEvaporation Rate:N/A

Solubility in Water: Insoluble

Appearance & Odor: Packed in Plastic Bags -- Red, Green, Brown, Blue, Orange.

SECTION IV – FIRE & EXPLOSION HAZARD DATA

Flash Point (method used): 350 F. (CoC)

Flammable Limits: No Data

LEL: N/A UEL: N/A

Extinguishing Method: Co2 Dry Chemical **Special Fire Fighting Procedures:** Use Air Pack

Unusual Fire & Explosion Hazards: Treat as Grease Fire

SECTION V – REACTIVITY DATA

STABILITY: Unstable ____ Conditions to avoid: N/A Stable X

Incompatibility (Materials to avoid): N/A

 $\textbf{Hazardous Decomposition of Byproducts:} \ \ N/A$

Hazardous Polymerization: May occur _____ Conditions to avoid:

N/A Will not occur X

SECTION VI – HEALTH HAZARD DATA

Route(s) of entry: INHALATION YES SKIN NO INGESTION NO

Health Hazards (Acute & Chronic): (Acute) Coughing & Sneezing-Buffing operations may cause lint & abrasives to become airborne. We recommend respirator & ventilation.

Carcinogenicity: Non-Carcinogenic NTP? N/A IARC Monographs? NO OSHA Regu.