
SAFETY DATA SHEET

Section 1: IDENTIFICATION

Product Name: **BB BUTTER**
Welding Material Sales
3940 Stern Ave
St. Charles IL 60174
E-mail: sales@weldingmaterialsales.com
www.weldingmaterialsales.com
Emergency: 800-424-9300

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

GHS Classification:
Eye irritation, (Category 2A)
Skin irritation (Category 2)

GHS Labeling



Symbol:

Signal Word: Warning

Hazard Statements:
May cause serious eye irritation
May causes skin irritation

Precautionary Statements:

Prevention:

Wash thoroughly after handling.
Wear protective gloves/eye protection/face protection.

Response:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists; get medical advice/attention.
If on skin: Wash with plenty of water.
If skin irritation occurs: Get medical advice/attention.

Hazards not otherwise classified: none

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

No.	Component CAS REG. NO.	Amount %
1	Polyoxyethylene mono(octylphenyl)ether CAS #9002-93-1	Not Available
2	Ethylenediaminetetraacetic Acid CAS #64-02-8	Not Available
3	Monoethanolamine CAS #141-43-5	Not Available
4	Dipropylene Glycol Monomethyl Ether CAS #34590-94-8	Not Available
5	Sodium Hydroxide CAS #1310-73-2	Not Available
6	Carrageenan CAS #9000-07-1	Not Available

Section 4: FIRST AID MEASURES

Emergency first aid procedures by route of exposure:

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

Skin contact: For skin contact flush with large amounts of water. If irritation persists get medical attention.

Inhalation: If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention.

Ingestion: If ingested, rinse mouth with water. Consult a physician if needed.

Section 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special Hazards: Carbon oxides

Advice for firefighters: Wear self-contained breathing apparatus for firefighting, if necessary.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: Use personal protective equipment. Ensure adequate ventilation.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Method for Containment: Prevent entry into waterways, sewers, basements or confined areas.
Methods for Clean-up: Wear appropriate protective equipment and clothing during clean-up. Soak up with inert absorbent material and dispose of in closed containers designed for disposal.

Section 7: HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Wash hands thoroughly after handling
Storage: Store in a cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Section 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

No.	Component CAS REG. NO.	OSHA		ACGIH	
		TWA	STEL	TWA	STEL
1	Polyoxyethylene mono(octylphenyl)ether CAS #9036-19-5	Not avail.	Not avail.	Not avail.	Not avail.
2	Ethylenediaminetetraacetic Acid CAS #64-02-8	Not avail.	Not avail.	Not avail.	Not avail.
3	Monoethanolamine CAS #141-43-5	3 ppm	6 ppm	3 ppm	6 ppm
4	Dipropylene Glycol Monomethyl Ether CAS #34590-94-8	100 ppm	Not avail.	100 ppm	150 ppm
5	Sodium Hydroxide CAS #1310-73-2	2 mg/m3	Not avail.	2 mg/m3	Not avail.
6	Carrageenan CAS #9000-07-1	Not Avail.	Not Avail.	Not Avail	Not Avail.

Engineering Control: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

Personal Protective Equipment (PPE)

Eye/Face Protection: Face shield and/or safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Hand Protection: Handle with nitrile rubber gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: If ventilation is not sufficient to effectively prevent buildup of vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Other Protective Equipment:

Facilities storing or utilizing this material should be equipped with eyewash and safety shower facilities.

See section 3 for exposure limits.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state <i>Polyoxyethylene mono(octylphenyl)ether</i>	Collid
Form <i>Polyoxyethylene mono(octylphenyl)ether</i>	Solid
Color <i>Polyoxyethylene mono(octylphenyl)ether</i>	Light yellow
pH <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Melting/Freezing Point <i>Polyoxyethylene mono(octylphenyl)ether</i>	43°F (6°C)
Boiling Point <i>Polyoxyethylene mono(octylphenyl)ether</i>	>392°F (>200°C)
Flash Point <i>Polyoxyethylene mono(octylphenyl)ether</i>	>484°F (251°C) – closed cup
Evaporation Rate <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Flammability <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Upper Explosion Limit <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Lower Explosion Limit <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Vapor Pressure <i>Polyoxyethylene mono(octylphenyl)ether</i>	>1.33 hPa (<1.00 mmHg) at 20°C (68°F)
Vapor Density <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Relative Density <i>Polyoxyethylene mono(octylphenyl)ether</i>	1.06 g/mL at 25°C (77°F)
Water Solubility <i>Polyoxyethylene mono(octylphenyl)ether</i>	soluble
Partition Coefficient <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Auto Ignition Temperature <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Decomposition Temperature <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
Viscosity <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available

Section 10: STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: This material is considered stable under recommended storage conditions.

Possibility of Hazardous Reactions: No data available

Condition to Avoid: No data available

Incompatible Materials: This product reacts with strong acid, strong bases, and oxidizing agents.

Hazardous Decomposition: No data available

Section 11: TOXICOLOGICAL INFORMATION

Polyoxyethylene mono(octylphenyl)ether (9036-19-5)
LD50 Oral – Rat – 1,800 mg/kg

Inhalation: No data available
LD50 Dermal – Rabbit – 8000 mg/kg
Skin corrosion/irritation No data available
Serious eye damage/eye irritation Result: Moderate eye irritation -24 h
Respiratory or skin sensitization No data available
Germ cell mutagenicity No data available
Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA
Reproductive No data available
Additional Information No data available

Ethylenediaminetetraacetic acid, tetrasodium salt (64-02-8)

LD50 Oral – Rat – 1,720 mg/kg
No data available
LD50 Dermal – Rabbit – 1,015 mg/kg
Skin corrosion/irritation Causes skin irritation
Serious eye damage/eye irritation Result: Moderate risk of serious eye damage
Respiratory or skin sensitization Result: Does not cause skin sensitization
Germ cell mutagenicity In vitro tests did not show mutagenic effects
Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA
Reproductive No data available
Additional Information May be harmful if swallowed

Monoethanolamine (141-43-5)

LD50 Oral – Rat – 1,800 mg/kg
Inhalation: No data available
LD50 Dermal – Rabbit – 1,015 mg/kg
Skin corrosion/irritation No data available
Serious eye damage/eye irritation Result: Severe eye irritation
Respiratory or skin sensitization No data available
Germ cell mutagenicity No data available
Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA
Reproductive No data available
Additional Information Liver – Irregularities – Based on Human Evidence

Dipropylene Glycol Monomethyl Ether (34590-94-8)

LD50 Oral – Rat – 5,152 mg/kg
Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation No data available
Serious eye damage/eye irritation Result: Mild eye irritation – 24 h
Respiratory or skin sensitization No data available
Germ cell mutagenicity No data available
Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA
Reproductive No data available
Additional Information No data available

Sodium Hydroxide (1310-73-2)

Oral: No data available
Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation Result: Causes severe burns. – 24 h
Serious eye damage/eye irritation Result: Corrosive – 24 h

Respiratory or skin sensitization No data available
Germ cell mutagenicity No data available
Carcinogenicity Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA
Reproductive No data available
Additional Information Material is extremely destructive to tissue of the mucous membranes and upper respiratory Tract, eyes, and skin.

Section 12: ECOLOGICAL INFORMATION

Polyoxyethylene mono(octylphenyl)ether (9002-93-1)
LC50 – Pimephales promelas (fathead minnow) – 8.9 mg/l – 96.0 h,
EC50 - Daphnia (water flea) – 26 mg/l – 48 h

Ethylenediaminetetraacetic a (64-02-8)
LC50: > 1—mg/l Exposure time: 96 h Species: Fish
EC50: > 500 mg/l Exposure time: 24 h Species: Daphnia magna (Water flea)
EC50: > 100 mg/l Exposure time: 72 h Species: alga

Monoethanolamine (141-43-5)
EC50 - Desmodesmus subspicatus (green algae) – 15 mg/l – 72 h
EC50 - Daphnia magna (Water flea) – 65 mg/l – 48 h
LC50 – Pimephales promelas (fathead minnow) – 227 mg/l – 96 h

Dipropylene Glycol Monomethyl Ether (34590-94-8)
LC50 – Pimephales promelas (fathead minnow) - > 10,000 mg/l – 96 h
EC50 – Daphnia magna (Water flea) – 1,919 mg/l – 48 h

Sodium Hydroxide (1310-73-2)
LC50 – Gambusia affinis (Mosquito fish) – 125 mg/l – 96 h
LC50 – Oncorhynchus mykiss (rainbow trout) – 45.4 mg/l – 96 h
EC50 – Daphnia (Water flea) – 40.38 mg/l – 48 h

Section 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14: TRANSPORT INFORMATION

Not regulated as a dangerous good.

Section 15: REGULATORY INFORMATION

TSCA Inventory: These products and/or its components are listed on the Toxic Substance Control Act (TSCA) inventory.

Polyoxyethylene mono(octylphenyl)ether (9002-93-1)
SARA 302/304 No components were identified
SARA 313 No components were identified

CERCLA	No components were identified
SARA 311/312	Acute Health Hazard
PROP 65	No components were identified
Ethylenediaminetetraacetic acid, tetrasodium (64-02-8)	
SARA 302/304	No components were identified
SARA 313	No components were identified
CERCLA	No components were identified
SARA 311/312	Acute Health Hazard, Chronic Health Hazard
PROP 65	No components were identified
Monoethanolamine (141-43-5)	
SARA 302/304	No components were identified
SARA 313	No components were identified
CERCLA	No components were identified
SARA 311/312	Fire Hazard, Acute Health Hazard, Chronic Health Hazard
PROP 65	No components were identified
Dipropylene Glycol Monomethyl Ether (34590-94-8)	
SARA 302/304	No components were identified
SARA 313	No components were identified
CERCLA	No components were identified
SARA 311/312	Fire Hazard, Chronic Health Hazard
PROP 65	No components were identified
Sodium Hydroxide (1310-73-2)	
SARA 302/304	No components were identified
SARA 313	No components were identified
CERCLA	RQ=1,000 lbs
SARA 311/312	Acute Health Hazard, Chronic Health Hazard
PROP 65	No components were identified

Section 16: OTHER SUPPLEMENTAL INFORMATION

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date thereof.

Welding Material Sales, Inc., however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Welding Material Sales, Inc. be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state, and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY WELDING MATERIAL SALES, INC. HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.

Welding Material Sales, Inc. strongly recommends the users of this product study this SDS, the product label information and become aware of all hazards associated with welding. Welding Material Sales, Inc. believes this data to be accurate and to reflect qualified expert opinion regarding current research. However, Welding Material Sales, Inc. cannot make any expressed or implied warranty as to this information.