Product Name: Panel Bonding Adhesive Cartridge Product identifier: 100815 Revision Date: 05-06-2015 Replaces:



1. Identification

Product Name: Product identifier: Relevant identified uses of the substance or mixture and uses advised against:	Panel Bonding Adhesive Cartridge 100815 Adhesive
Chemical Manufacturer / Importer:	ITW Evercoat a division of Illinois Tool Works Inc. 6600 Cornell Road Cincinnati, OH 45242 513-489-7600
Emergency telephone number:	CHEMTREC: 1-800-424-9300 CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



GHS Classification:	Skin Sensitisation Category 1 Carcinogenicity Category 1A
GHS Signal Word: GHS Hazard Statements:	Serious Eye Damage/Eye Irritation Category 2B Danger May cause an allergic skin reaction. Causes eye irritation May cause cancer.
GHS Precautionary Statements:	
Safety Precautions:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 Revision Date: 05-06-2015 Replaces:

First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.
	IF exposed or concerned: Get medical advice/attention.
	Specific treatment (see on this label).
	If skin irritation or rash occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	Wash contaminated clothing before reuse.
Storage:	Store locked up.
Disposal:	Dispose of contents/container in accordance with
•	local/regional/national/international regulation for hazardous wastes.
Hazards not otherwise classified:	No data available

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Oxirane Homopolymer	25085-99-8	10 - 30
Talc	14807-96-6	10 - 30

the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

4. First-aid measures	

Eye Contact:	Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists.
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this MSDS.
Immediate medical attention and special treatment needed,:	No additional first aid information available

Product Name: Panel Bonding Adhesive Cartridge Product identifier: 100815 Revision Date: 05-06-2015 Replaces:

5. Fire-fighting measures

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Fire and/or Explosion Hazards:	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide
Special protective equipment and precautions for fire- fighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

Methods and material for
containment and cleaning up:No special spill clean-up considerations. Collect and discard in
regular trash.

7. Handling and storage

lildly irritating material. Avoid unnecessary exposure. Minimize ust generation and accumulation
ore in a cool dry place. Isolate from incompatible materials.
cids Aluminum alloys Ammonia

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Talc	20 mppcf	2 mg/m3	
Appropriate engineering controls.:	•	exist for the constituents of this p ation might be required to maint nal conditions of use.	
Eye Protection:	Wear safety glasses	when handling this product.	

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 Revision Date: 05-06-2015

Replaces:

Skin Protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Respiratory Protection:	No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required.
General Hygiene Conditions:	Minimize dust generation and accumulation

9. Physical and chemical properties

Auto-ignition Temperature (°C):No data availableDecomposition Temperature::No data availableViscosity:No data availableVOC (as packaged-less exempts and water)71 or
--

10. Stability and reactivity

Reactivity: Chemical stability: Conditions to avoid:	No data available Stable under normal conditions. Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Contamination.
Incompatible materials:	Acids Aluminum alloys Ammonia
Hazardous decomposition	Carbon dioxide, Carbon monoxide

Product Name: Panel Bonding Adhesive Cartridge Product identifier: 100815 Revision Date: 05-06-2015 Replaces:

products:

11. Toxicological information	
Likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation, Ingestion, Skin contact, Eye contact
Immediate (Acute) Health Effects	by Route of Exposure:
Inhalation Irritation:	Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and
	headache. Can cause mechanical irritation if dusts are generated.
Skin Contact:	Can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	No absorption hazard in normal industrial use.
Eye Contact:	Can cause minor irritation, tearing and reddening.
Ingestion Irritation:	Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.
Ingestion Toxicity:	
Long-Term (Chronic) Health Effect	<u>ts:</u>
Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal
	studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive and	No data available to indicate product or any components present at greater than
Developmental Toxicity:	0.1% may cause birth defects.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.
Component Toxicology Data	

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name OSHA Carcinogen		IARC Carcinogen	NTP Carcinogen	
No data available				

Product Name: Panel Bonding Adhesive Cartridge Product identifier: 100815 Revision Date: 05-06-2015 Replaces:

12. Ecological information

Ecotoxicity (aquatic and
terrestrial, where available):This material is not expected to be harmful to the ecology.Persistence and degradability:No data availableMobility in soil:No data availableOther adverse effects (such as
hazardous to the ozone layer):No data available

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations			
Description of waste residues:	Spent or discarded material is non-hazardous according to environmental regulations.		
Waste treatment methods (including packaging):	Dispose of in a landfill. Disposal is not likely to be regulated.		
14. Transport information			
UN proper shipping name:	The DOT Classification for shipping is dependent on quantity, type of packaging (a kit may include other components), or		

15. Regulatory information	

method of shipment.

All components in this product are on the TSCA Inventory.

Regulated Components:

TSCA Status:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

16. Other information, including date of preparation or last revision.

Revision Date: Revision Number: 05-06-2015 1

Product Name: Panel Bonding Adhesive Cartridge Product identifier: 100815 Revision Date: 05-06-2015 Replaces:

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances