


Section 1. Chemical product and company identification

Product name: **11869 - Hotcoat Powder Coat Flat Black**
 Product chemistry: **Epoxy**
 Material uses: **Electrostatic coating**
 Supplier: **Eastwood Company**
 263 Shoemaker Road Pottstown, PA 19464
 800-343-9353
 In case of Emergency (Health or Spills): **800-424-9300 Chemtrec**

Section 2. Hazardous ingredients
CHARACTERISTIC CHEMISTRY: Chemical Mixture

SUBSTANCE	CAS N°	%p/p	ACGIH TLV TWA	GLOBALLY HARMONIZED SYSTEM Hazard statement: May cause the following hazards if not properly used (Section 7) and if not the recommended safety equipment (Section 5) is used.
Matt Hardener Benzene-1,2,4,5-tetracarboxylic acid, compound with 4,5-dihydro - 2-phenyl-1H-imidazole (1:1)	54553-90-1	4-6	There are no currently occupational exposure limit values established for this substance.	<ul style="list-style-type: none"> • H303 May be harmful if swallowed • H317 May cause an allergic skin reaction • H320 Causes eye irritation • H333 May be harmful if inhaled • H335 May cause respiratory irritation <div style="text-align: center;">  LABEL 3 </div>

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Section 3. Hazards identification
Emergency overview

Physical state: Solid. [Powder.]
 Odor: Odorless.
 Signal word: **WARNING!**
 Hazard statements: **HARMFUL IF INHALED OR SWALLOWED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT AND SKIN IRRITATION.**
 Precautionary measures : Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust. Do not ingest. Use only with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Use personal protective equipment as required. Wash thoroughly after handling.
 OSHA/HCS status: There are no currently occupational exposure limit values established for this substance.

Potential acute health effects

Inhalation Toxic by inhalation. Irritating to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion Toxic if swallowed.
Skin Slightly irritating to the skin. May cause sensitization by skin contact.
Eyes Severely irritating to eyes. Risk of serious damage to eyes.

Potential chronic health effects

Chronic effects Contains material that can cause target organ damage. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity No known significant effects or critical hazards
Mutagenicity No known significant effects or critical hazards.
Teratogenicity No known significant effects or critical hazards.
Developmental effects No known significant effects or critical hazards.
Fertility effects No known significant effects or critical hazards.
Target organs Contains material which causes damage to the following organs: lymphatic system.
 Contains material which may cause damage to the following organs: lungs, the nervous system, upper respiratory tract, skin, eyes.

Over-exposure signs/symptoms

Inhalation Adverse symptoms may include the following:
 respiratory tract irritation coughing
Ingestion No specific data.

SAFETY DATA SHEET

Skin Adverse symptoms may include the following:
Irritation, redness

Eyes Adverse symptoms may include the following:
pain or irritation watering redness

Medical conditions aggravated by overexposure Pre-existing skin disorders and disorders involving any other target organs mentioned in this SDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

Section 4. First aid measures

After contact with eyes: Check for and remove any contact lenses. Immediately flush eyes with plenty of clean water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

After skin contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

After inhalation of material: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

After ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed.
The exposed person may need to be kept under medical surveillance for 48 hours.

Section 5.-Fire fighting measures

Flammability of the product Fine dust clouds may form explosive mixtures with air.

Extinguishing media

Suitable Use dry chemical, CO₂, water spray (fog) or foam.

Not suitable Do not use water jet.

Special exposure hazards Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Hazardous thermal decomposition products Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, sulfur oxides, metal oxide/oxides

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

NFPA:
Rate Peligrosidad

Health	1
Fire	0
Reactivity	0
Special	

Section 6.-Measures accidental release

Personal precautions: No action shall be taken involving any personal risk or without suitable training.
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources.
No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Precautions for environmental protection: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning / collecting: Pick up with vacuum equipment.

Section 7.-Handling and storage

Handling: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Remove contaminated clothing and protective equipment before entering eating areas.
Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly

SAFETY DATA SHEET

Storage: closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Empty containers retain product residue and can be hazardous. Do not reuse container.

Store in accordance with local regulations. Store in a segregated and approved area.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate containment to avoid environmental contamination.

Section 8.-Exposure limits and personal protective equipment

<u>INGREDIENT</u>	<u>EXPOSURE LIMITS</u>
Matt Hardener	There are no currently occupational exposure limit values established for this substance.

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards.

Engineering measures Reference to national guidance documents for methods for the determination of hazardous substances will also be required. Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory protection: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Protection of hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Eye protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Skin protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9 -. Physical and chemical properties

Physical state:	Solid. (powder)	Flash point:	N/A
		Vapor Pressure (20 ° C):	Closed cup: Not applicable.
Auto-ignition temperature:	450 to 600°C (842 to 1112°F)	Flammable limits:	20 - 70 g/m3
Odor:	Odorless	Relative density:	1.2 to 1.9 [ISO 8130-2/-3]N/A
Solubility:	Insoluble in the following materials: cold water and hot water.	Minimum ignition energy (mJ):	5 to 20

Section 10. Stability and reactivity

Chemical Stability: The product is stable.

Conditions to avoid: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.

Incompatible materials: Reactive or incompatible with the following materials: oxidizing materials

SAFETY DATA SHEET

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

Section 11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Matt Hardener	LD50 Oral	Rat	7400 mg/kg	--

Section 12. Ecological information

Ecotoxicity: No known significant effects or critical hazards. The substance is not readily biodegradable (54 % degradation after 28 days), but has a biodegradation potential. (BUA Report 246)

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Matt Hardener	Quantitative data on the acute fish/daphnia/bacteria toxicity of this product are not available.		

Section 13. Disposal considerations

Waste disposal: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated	Not regulated	Not regulated	----		----
TDG Classification	Not regulated	Not regulated	Not regulated	----		----
Mexico Classification	Not regulated	Not regulated	Not regulated	----		----
ADR/RID Class	Not regulated	Not regulated	Not regulated	----		----
IMDG Class	Not regulated	Not regulated	Not regulated	----		----
IATA-DGR Class	Not regulated	Not regulated	Not regulated	----		----

PG*: Packing group

Section 15. Regulatory information

HCS Classification: Toxic material, Irritating material, Sensitizing material, Carcinogen, Target organ effects.

U.S. Federal regulations: TSCA: The substance is listed in the Inventory.

Canada inventory The substance is listed in the Inventory.

International regulations **Australia** - AICS: The substance is listed in the Inventory.

Korea - ECL: The substance is listed in the Inventory.

China - IECSC:

SAFETY DATA SHEET

Page 5 of 5

Issue Date: 05/30/2017

Section 16. Other information

Label requirements HARMFUL IF INHALED OR SWALLOWED. CAUSES EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT AND SKIN IRRITATION.

Version : 2

Indicates information that has changed from previously issued version. Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.